



DIRECTIVE NUMBER: CPL 03-00-013
EFFECTIVE DATE: February 21, 2012

SUBJECT: National Emphasis Program – Primary Metal Industries

ABSTRACT

Purpose: The Puerto Rico Occupational Safety and Health Administration is adopting the OSHA NEP - Primary Metal Industries. This Instruction describes policies and procedures for implementing an OSHA National Emphasis Program to identify and reduce or eliminate worker exposures to harmful chemical and physical health hazards in facilities in the Primary Metal Industries.

Scope: This Instruction applies PR OSHA-wide.

References: PR OSHA Instruction CPL 02-00-150, September 23, 2011, Field Operations Manual (FOM).

OSHA Notice 10-06 (CPL 02), August, 10, 2010, Site-Specific Targeting 2010 (SST-10).

PROSHO Instruction CPL 02-02-038 (2-2.38D), August 11, 1998, Inspection Procedures for the Hazard Communication Standard.

PROSHO Instruction CPL 02-00-120 (2-0.120), December 2, 1998, Inspection Procedures for the Respiratory Protection Standard.

PROSHO Instruction CPL 02-00-25 (2.25I), July 11, 1995, Scheduling System for Programmed Inspections.

OSHA Instruction CPL 03-00-007, January 24, 2008, National Emphasis Program – Crystalline Silica.

PR OSHA Instruction CPL 03-00-007, March 6, 2008, Crystalline Silica.

OSHA Instruction CPL 03-00-009, August 14, 2008, National Emphasis Program – Lead.

PR OSHA CPL 02-00-135, Recordkeeping Policies and Procedures Manual, February 25, 2005

ADMINISTRACIÓN DE SEGURIDAD Y SALUD OCUPACIONAL DE PUERTO RICO

DIRECTIVE NUMBER: CPL 03-00-013
EFFECTIVE DATE: February 21, 2012

Cancellations: None.

Action Offices: Bureau of Inspection, Area Offices, Voluntary Programs Division

Originating Office: OSHA Office of Health Enforcement

Contact: Bureau of Inspection

By and Under the Authority of


Gladys Cruz Mercado
Assistant Secretary

Executive Summary

OSHA inspection history has shown that individuals employed in the *Primary Metal Industries* are exposed to serious safety and health hazards on a daily basis. Previous inspections of primary metal establishments have resulted in citations for overexposures to a wide variety of health hazards including chemical exposures in foundry operations as well as physical stressors such as noise and heat. This Instruction describes policies and procedures for implementing a National Emphasis Program (NEP) to identify and reduce or eliminate worker exposures in facilities under the *Primary Metal Industries*, Major Group 33 in the Standard Industrial Classification (SIC) Manual. This NEP will also heighten health and safety awareness within the affected industries of the potential for worker exposure to harmful chemical and physical hazards so that employers may voluntarily take steps to correct hazards and comply with current safety and health regulations and practices.

Significant Changes

None. This Instruction describes a new initiative by the Occupational Safety and Health Administration.

TABLE OF CONTENTS

I.	PURPOSE.....	1
II.	SCOPE.	1
III.	REFERENCES.....	1
IV.	CANCELLATIONS.....	1
V.	ACTION OFFICES.	1
VI.	EXPIRATION.....	1
VII.	SIGNIFICANT CHANGES.....	1
VIII.	APPLICATION..	2
IX.	BACKGROUND	2
X.	NATIONAL EMPHASIS PROGRAM GOALS.....	2
XI.	PROGRAM PROCEDURES.	3
XII.	OUTREACH.	4
XIII.	INSPECTION PROCEDURES.	5
XIV.	CONSULTATION.....	12
	APPENDIX A CHEMICAL EXPOSURE HAZARDS FOUND IN MAJOR GROUP 33 OF THE SIC MANUAL.....	13
	APPENDIX B PRIMARY METAL INDUSTRIES - SICS/NAICSS CODES	14

- I. **Purpose.** This Instruction describes policies and procedures for implementing a National Emphasis Program (NEP) to identify and reduce or eliminate worker exposures in facilities under the **Primary Metal Industries**, Major Group 33 in the Standard Industrial Classification (SIC) Manual. This NEP will also heighten health and safety awareness within the affected industries of the potential for worker exposure to harmful chemical and physical health hazards so that employers may voluntarily take steps to correct hazards and comply with the applicable safety and health standards. **PR OSHA adopted this instruction to be as effective as federal OSHA.**
- II. **Scope.** This Instruction applies PR OSHA-wide.
- III. **References:**
 - A. PR OSHA Instruction CPL 02-00-150, September 23, 2011, Field Operations Manual (FOM).
 - B. OSHA Notice 10-06 (CPL 02), August, 10, 2010, Site-Specific Targeting 2010 (SST-10).
 - C. PROSHO Instruction CPL 02-02-038 (2-2.38D), August 11, 1998, Inspection Procedures for the Hazard Communication Standard.
 - D. PROSHO Instruction CPL 02-00-120 (2-0.120), December 2, 1998, Inspection Procedures for the Respiratory Protection Standard.
 - E. PROSHO Instruction CPL 02-00-025 (2.25I), July 11, 1995, Scheduling System for Programmed Inspections.
 - F. OSHA Instruction CPL 03-00-007, January 24, 2008, National Emphasis Program – Crystalline Silica.
 - G. PR OSHA Instruction CPL 03-00-007, March 6, 2008, Crystalline Silica.
 - H. OSHA Instruction CPL 03-00-009, August 14, 2008, National Emphasis Program – Lead.
 - I. PR OSHA CPL 02-00-135, Recordkeeping Policies and Procedures Manual, February 25, 2005
- IV. **Cancellations. None.**
- V. **Action Offices.**
 - A. Responsible Office. Bureau of Inspection
 - B. Action Offices. Bureau of Inspection, Area Offices, Voluntary Programs Division
 - C. Information Offices. Evaluations Division, Bureau of Technical Assistance, and Technical Support Division.
- VI. **Expiration.** This Instruction will expire three (3) years from the date of issuance.
- VII. **Significant Changes.** There are no significant changes. This is a new program.

VIII. Application. This Instruction applies to all primary metal manufacturing facilities under SIC 3300.

IX. Background:

- A. The Primary Metal Industries were identified as a concern during a review of data from the Bureau of Labor Statistics' Census of Fatal Occupational Injuries. The BLS report also showed that five of the top 20 industries with non-fatal occupational injuries and illness cases were within these SICs/NAICs. The Department of Health information from one state regarding elevated blood lead levels also indicated that the Primary Metal Industries accounted for 26% of the establishments having at least one worker with blood lead levels of 30 µg/100g of whole blood or greater in 2005.
- B. OSHA inspection history indicates that individuals employed in the Primary Metal Industries are exposed to serious safety and health hazards on a daily basis. Previous inspections of primary metal establishments have resulted in citations for overexposures to a wide variety of health hazards including chemical exposures as well as physical stressors such as noise and heat. Chemical exposures found in these facilities include carbon monoxide, lead, silica, metal dusts and fumes, and various other chemical substances. A more extensive list is provided in Appendix A.
- C. The Primary Metal Industries are a group of establishments engaged in the smelting and refining of both ferrous and nonferrous metals. These metals are refined from ore, pig and scrap, during rolling, drawing, casting and alloying metal operations. Some of the products they manufacture include nails, spikes, insulated wires and cables, steel piping, sheets and bars, copper and aluminum products, and coke. These SICs/NAICSs Codes are listed in Appendix B.

X. National Emphasis Program Goals.

- A. To minimize and/or eliminate worker exposure to the hazards, both physical and chemical, which are known to be present in the primary metal industries. Reduction and/or elimination of chemical exposures will help to reduce and prevent the occurrence of skin and eye injuries as well as occupational lung injury and other illnesses. Reduction of worker exposures to physical hazards will help prevent adverse effects such as hearing loss.
- B. To significantly reduce/eliminate worker overexposures to both chemical and physical stressors and, therefore, control the health hazards associated with such exposures. This goal will be accomplished by a combined effort of inspection targeting, outreach to employers, and compliance assistance.
- C. Inspections will be directed to those facilities known to manufacture primary metals and metal products.
- D. To ensure abatement and measure the effectiveness of this NEP, follow-up site

visits often will be necessary where overexposures have been documented.

XI. Program Procedures.

A. Site Selection.

1. Targeting Sources.

- a) Inspections conducted under this NEP shall focus on facilities with workers in Major Group 33 of the SIC Manual.
- b) Each Area Office, in conjunction with the Bureau of Inspection, shall develop an inspection master list of establishments in accordance with PR OSHA Instruction CPL 02-00-025, Scheduling System for Programmed Inspections.

2. Master List Generation.

- a) Using the most recently available Dunn and Bradstreet employer list, the Office of Statistical Analysis (OSA) will prepare a list based on a random number table (RNT) (see CPL 02-00-025) of establishments in the SIC/NAICS codes mentioned in Appendix B. Each establishment on the resulting establishment list will be assigned a sequential number, starting at the top of the list with number one. OSA will then provide to each Area Office a list of establishments in these SIC/NAICS codes within the Area Office's geographical jurisdiction.
- b) Whenever an office becomes aware of a previously unknown manufacturing establishment within any of the identified SIC/NAICS codes, the establishment shall be added to the list.
- c) Establishments with fewer than ten employees shall also be included in this NEP.

3. Deletions.

- a) Based on their familiarity with local industries, The Bureau of Inspection and Area Offices shall delete from the master list any firms known to be out of business.
- b) The Bureau of Inspection and Area Offices shall also delete any establishment that has had an inspection where worker exposures have been evaluated within the previous two (2) years, provided either that no serious violations related to chemical or noise exposures were cited or that serious violations were cited but a follow-up inspection documented effective abatement of the cited conditions.

4. Each Area Office shall conduct at least three NEP inspections each year from the list of establishments in the SICs/NAICS codes contained in Appendix B, unless there are fewer facilities in their jurisdiction. Inspections shall be scheduled in the order called for by the random number table.

5. The establishment list generated under this NEP shall be maintained in the Area Offices for a period of three years.

B. Complaints and Referrals.

Complaint or referral inspections alleging worker exposure to any other hazards at facilities in these SICs may be expanded to address the issues covered under this NEP. For further guidance, CSHOs should refer to CPL 02-00-150, Field Operations Manual (FOM).

C. Programmed Inspections.

Some establishments may be selected for inspection under the current programmed inspection lists or also under one or more other OSHA and PR OSHA enforcement initiatives (National Emphasis (NEP) or Local Emphasis (LEP) Programs).

The employer's DUNS number shall also be recorded for each inspection.

NEPs and/or LEPs may run concurrently with this NEP.

D. Expanding Scope of Inspection.

Inspections under this NEP shall normally be limited to evaluating worker exposure to physical and chemical hazards described in this Instruction. However, a CSHO may expand the scope of the inspection if other safety and health hazards or violations are observed and/or brought to their attention. The CSHO shall follow the guidelines in the FOM when expanding the scope of any inspection.

XII. Outreach.

A. Each Area Office/Bureau of Inspection and the Voluntary Programs Division is encouraged to develop outreach programs that will support the enforcement efforts. Suggested outreach activities are as follows:

1. Letters, news releases by local and national news organizations, and trade magazines can assist with disseminating information about this NEP.
2. Local hospitals, occupational health clinics, and local occupational physicians should be alerted via mail about occupational exposure to lead, silica and other hazards associated with them, if they have not been contacted previously.
3. Voluntary Programs Division should conduct outreach activities such as seminars/informational sessions for the health care sector and employer groups, as well as worker groups (this would include national, state and local unions).

OSHA's compliance assistance resources for this industry, include:

- a) Respiratory Protection eTool and Safety and Health Topics Page
- b) Personal Protective Equipment Safety and Health Topics Page
- c) Noise and Hearing Conservation eTool and Safety and Health Topics Page

- d) Heat Stress Safety and Health Topics Page
 - e) Silica eTool and Safety and Health Topics Page
 - f) Hazard Communication Safety and Health Topics page
 - g) Secondary Lead Smelter eTool
 - h) Lead Safety and Health Topics Page
4. The Bureau of Inspections should attempt to establish Partnerships and Alliances with groups representing employers and workers in the Primary Metal Industries to share successes and technical information concerning effective means of controlling and reducing worker exposures.
 5. Small businesses should contact the Voluntary Programs Division for onsite consultation services. The On-Site Consultation Service offers free and confidential advice to small and medium businesses in Puerto Rico, with priority given to high-hazard worksites. On-site Consultation services are separate from enforcement and do not result in penalties or citations. Additional information about the On-Site Consultation Program can be obtained by calling the Voluntary Programs Division at 1-800-981-5720.

XIII. Inspection Procedures.

This section outlines procedures for conducting inspections and preparing citations for hazards related to worker exposures. For further guidance, CSHOs should consult the PR OSHA directives, appendices, and other references provided below.

A. Opening Conference.

1. During the opening conference, the CSHO shall initially confirm that the employer falls under Major Group 33 of the SIC Manual. If the SIC code of the establishment is not included in Appendix B, the CSHO will exit the facility (if there is no other reason to inspect the employer) and no inspection shall be conducted under this NEP.
2. CSHOs should explain the goals of this NEP to the employer.
3. CSHOs should request information on any hazard analyses performed at the facility for the following:
 - a) 4 OSH 1910.132(d) Hazard assessment and equipment selection: PR OSHA's Personal Protective Equipment (PPE) standards require employers to assess their workplaces to determine if hazards are present, or are likely to be present, that necessitate the use of PPE (4 OSH §1910.132). If such hazards are present or are likely to be present (as determined by the information from Material Safety Data Sheets (MSDSs) or observable workplace conditions), employers must ensure that workers use the appropriate PPE to protect their eyes, face, hands and extremities, depending on the nature of the hazard (4 OSH §§1910.132, .133, .138). The employer is responsible for both the quality of the hazard assessment and the adequacy of the PPE

selected.

- b) 4 OSH 1910.134(d) Selection of Respirators: Employers in industries under Major Group 33 of the SIC Manual with potential respiratory hazards are required to conduct the evaluation required by §1910.134(d)(1)(iii) of the Respiratory Protection standard.

The hazard evaluation requirement is performance-oriented, and a variety of estimation techniques may be used to characterize worker exposures, depending upon the nature of the chemical products, processes, operating environment, and other factors.

Where a substance is used that may pose a respiratory hazard (see MSDSs for chemical substance in use), the employer must assess the nature and magnitude of the hazard relative to the conditions of use in its workplace, considering both normal operating conditions and reasonably foreseeable emergencies.

- c) 4 OSH 1910.1200(d) Hazard determination: PR OSHA's Hazard Communication standard requires that employers who choose not to rely on the evaluation of a hazardous chemical performed by a chemical manufacturer or importer, must conduct their own evaluation in accord with §1910.1200(d)(2) and (d)(3), and consider the available scientific evidence concerning that chemical. Otherwise, employers can rely on information from the MSDS.

B. Walkaround and Records Review.

1. MSDS. CSHOs should review the MSDSs for chemicals used and/or manufactured at the facility to ensure they are in compliance with the requirements of 4 OSH 1910.1200(g). If any deficiency is found for any chemicals not manufactured at the workplace, referrals should be made to the appropriate Area Office in whose jurisdiction the manufacturer or upstream supplier is located pursuant to PR OSHA Instruction CPL 02-02-038 (CPL 2-2.38D)-Inspection Procedures for the Hazard Communication Standard.
2. Injury/Illness Records. CSHOs should review the employer's injury and illness records to identify any workers with recorded illnesses or symptoms associated with exposure to chemical or physical hazards. CSHOs should investigate log entries for any type of respiratory issues, hearing loss, or other evidence of adverse health effects. Skin or eye injuries involving chemicals should also be investigated.
3. Medical Access Orders. Based on information obtained from illness/injury records and interviews, CSHOs may need to review additional worker medical information. When accessing worker medical information, CSHOs should follow the procedures in 15 OSH 1913.10 and obtain a written medical access order. CSHOs may also consider obtaining specific written consent from a worker pursuant to 4 OSH 1910.1020(e)(2)(ii), and should ensure that the agency or agency worker is listed on the consent form as the designated representative to receive the information.

4. **Production Process Evaluation.** CSHOs should request and review the employer's production and processing records.
 - a) Document the types and quantities of chemicals used, what processes are involved, and the frequency of use.
 - b) Evaluate and document the extent of engineering controls relative to the processes, the work practices implemented, and any protective equipment used during these operations. Primary means for controlling exposures include local exhaust ventilation to remove contaminants at their source, enclosing production processes or exposure sources, isolation of the processes or exposure sources, substitution of less hazardous materials and general dilution ventilation.
 - c) Evaluate workers' respirator usage, if any, and request a copy of the employer's respiratory protection program.
 - d) Evaluate personal air and noise monitoring records conducted by the employer.
5. **Exposure Monitoring.** CSHOs shall normally conduct full-shift personal air monitoring and/or short-term personal air monitoring as appropriate. For some chemicals, monitoring to assess short-term exposure limits (STELs), ceiling (C) or OSHA Permissible Exposure Limits (PELs) may be necessary. If the employer has conducted representative sampling in the previous six months, which shows no overexposures for all processes that have a potential for worker exposures, and any changes in the process are not likely to have increased exposures, the CSHO shall do screening sampling of the work operation(s) with the highest potential exposures to determine if additional sampling is necessary. When reviewing the employer's sampling, ensure that all job functions and the heaviest production shifts have been evaluated.
 - a) CSHOs shall use the available MSDSs, production and process information in determining whether additional monitoring for other chemicals should be performed.
 - b) Significant concentrations of airborne contaminants may be encountered in many operations in the primary metal industries. Processes that should be evaluated include but are not limited to: handling of scrap, the smelting process, the treatment and inoculation of molten metal before pouring, core- and mold-making processes, pouring molten metal, cooling of casts, casting knockout, casting finishing operations, and the clean-out and re-lining of furnaces.
6. **CSHO Protection.**

CSHOs conducting these inspections should have some training or experience in the primary metal industry. CSHOs must don the appropriate PPE before entering any hazardous areas. Hard hat, safety shoes, safety glasses (or goggles), and hearing protection will usually be required when

inspecting any of these areas. CSHOs must remain at least twenty feet from melting and pouring operations.

When inspecting melting and pouring operations, CSHOs should avoid the use of urethane foam earplugs, which may be combustible.

CSHOs shall wear long sleeve cotton shirts and long pants. They should not wear polyester, nylon or other manmade fabrics that can melt or readily ignite. Fire resistant clothing is encouraged. In most foundry areas, long sleeve cotton coveralls which have no outside pockets or cuffs should be worn. Pant legs must cover the top of the boot edge.

CSHOs are not anticipated to be handling chemicals in foundries; however, the presence of airborne gases, fumes, and caustics, which may cause dermal irritation require the use of gloves. Leather gloves are mildly chemical resistant and heat tolerant. Where chemical exposures are found to be higher than average, treated leather or kevlar gloves should be worn. Sleeves must cover the cuff of the glove. CSHOs should not tuck sleeves into the cuffs of the gloves. When the arm is fully extended, the cuff of the glove and sleeve must not allow bare skin to be exposed.

Impact and chemical resistant goggles are appropriate for these industries. Safety glasses with side shields are not recommended in the presence of and potential exposure to caustics, corrosives, dusts and acid. Impact resistance is required since the industry has the potential for flying and falling debris. Where molten ferrous metal operations must be viewed for a significant length of time, #3-#5 green goggles (or #3-#5 safety glasses under goggles) should be worn.

Respiratory protection may also be required in many work areas. A list of potential contaminants is found in Appendix A. When in the vicinity of operations where the presence of silica is known or suspected, CSHOs shall wear a half-mask or full face respirator equipped with N100 cartridge(s). If other respiratory hazards exist, CSHOs shall wear the appropriate combination cartridge.

CSHOs should discuss the need for further PPE with their Area Director/Bureau of Inspections.

C. Citation Guidance.

1. OSHA PELs.

Where exposures are in excess of the permissible exposure limits (PELs), ceiling limits (C) or STELs, for substances listed in Tables Z-1, Z-2, or Z-3 of 4 OSH 1910.1000, cite the applicable sections of 4 OSH 1910.1000.

2. Engineering and Work Practice Controls.

3. If an employer has failed to implement administrative, engineering or work practice controls where feasible for reducing exposures to levels below the PEL, the CSHO shall usually cite 1910.1000(e), or the appropriate

engineering control section of the substance specific standard.

4. Respirator Standard.

- a) If there are respiratory hazards present at the work site and employers have failed to conduct the initial respiratory hazard evaluation, cite 4 OSH 1910.134(d)(1)(iii).
- b) Where workers are required to use respirators, but the employer has failed to comply with a requirement in the respirator standard, cite the applicable sections of 4 OSH 1910.134.

- Inspection and citation guidance are provided in CPL 02-00-120, Inspection Procedures for the Respiratory Protection Standard.

5. Personal Protective Equipment (PPE) Standards.

Pursuant to §1910.132(d), the employer must conduct a hazard assessment to determine if hazards are likely to be present that necessitate the use of PPE and have a written certification that the assessment was conducted.

Where chemicals having irritant properties are present, PPE is not being used or is inadequate, and workers' eyes and/or skin are potentially exposed to such chemicals, cite the applicable PPE standard (4 OSH §§1910.132, .133, .138).

- a) Chemical goggles or other appropriate eye protection must be used when there is a potential for splash or vapor exposure to a substance that is likely to cause injury to the eye.
- b) Chemical-resistant gloves, or sleeves or other appropriate protection for exposed skin must be used when handling liquid, paste, or powdered substances that could cause dermal injury. CSHOs should consult the MSDS for the appropriate type of gloves and/or the glove chart in **OSHA PPE Publication 3151-12R**.
- c) The employer must also provide training for exposed workers as indicated in 4 OSH 1910.132. This training must include information on when and how to use appropriate PPE.
- d) In addition, employers must provide information on the value, limitations and maintenance of this equipment in accordance with 4 OSH §§1910.132 and .134.

6. Occupational Noise Standard.

- a) At levels at or above an 8-hour-time-weighted-average (TWA) of 85 dBA, an effective hearing conservation program must be implemented. The program must be evaluated for completeness and effectiveness of implementation.
- b) Where noise levels are above the 90 dBA TWA, hearing protection must be worn by all exposed workers until engineering or administrative controls reduce exposures to below the PEL. Workers who have

already experienced a standard threshold shift must wear hearing protection at levels at or above 85 dBA TWA. Cite the applicable paragraph under 1910.95(i)(2).

- c) When hearing protection is required, employers must make a variety of hearing protectors available at no cost to the workers.

- 7. Expanded Health Standards. Compliance with the elements of the expanded health standards shall be evaluated, if exposures are found to chemicals, such as Lead, §1910.1025, or Cadmium, §1910.1027.

D. Other Applicable Requirements.

1. Hazard Communication.

- a) Workers who may be exposed to chemicals are required to be trained on the hazards of the chemicals in the workplace pursuant to 4 OSH 1910.1200(h)(3).
- b) Workers must be informed of the signs and symptoms of any respiratory, skin or eye conditions associated with exposures to hazardous chemicals in the workplace.
- c) Employers must ensure that all MSDSs are readily accessible to workers. CSHOs should ensure that all containers are labeled with the appropriate hazard warnings.

Citation Guidance: Detailed inspection and citation guidance, including guidance on how to address inadequate MSDSs, is contained in PR OSHA Instruction CPL 02-02-038 (CPL 2-2.38D)-Inspection Procedures for the Hazard Communication Standard.

2. Housekeeping and Hygiene Practices.

- a) Determine whether the employer's housekeeping and hygiene practices may contribute to overexposure. For example:
 - (1) Exposed surfaces should be as free as practicable of hazardous dusts, such as lead and chromium (bulk samples of the dust may need to be collected).
 - (2) Contaminated surfaces should not be blown clean with compressed air or other forced air (such as leaf blowers).
 - (3) If vacuuming is used for cleaning, the exhaust air should be properly filtered to prevent release of contaminants back into the workroom.
 - (4) There should be separate break areas for consuming food and beverages that are kept free of harmful dusts.

(5) Clothes contaminated with hazardous dusts should not be blown or shaken to remove dust.

b) Document poor housekeeping and hygiene practices.

3. Access to Employee Exposure and Medical Records.

- a) Interview workers to determine whether they were informed of their right to review their medical and exposure records annually and understand their rights regarding the confidentiality of such records.
- b) Review the employer's recordkeeping program to ensure that the required information is being collected and reported.
- c) Evaluate the employer's method for ensuring the confidentiality of worker medical records.
- d) When it is necessary to review worker medical records, ensure that they are obtained and remain confidential in accordance with §1913.10 and §1910.1020.

Citation Guidance: If violations are found, CSHOs should cite the applicable section of §1910.1020. These rules do not require the creation of any records, only preservation and access requirements.

Recent revisions to recordkeeping policies and procedures are described in CPL 02-00-135, Recordkeeping Policies and Procedures Manual.

4. Heat Stress.

Engineering, administrative and work practice controls should be evaluated in areas where there is a potential for heat stress (e.g. furnaces) and/or when cases of heat stress are recorded on the PROSHO 300. Investigation guidelines and other information can be found in the OSHA Technical Manual, Section III, Chapter 4, Heat Stress.

E. Follow-up Inspections.

Where citations are issued for overexposures, or abatement documentation provided by the employer for other serious citations is not adequate, follow-up site visits shall be conducted to determine whether the employer is eliminating exposures or reducing exposures below the PEL. Where exposures could not feasibly be reduced below the PEL, engineering and administrative controls must still have been implemented to reduce exposures to the extent feasible, and workers provided with adequate respiratory protection and other appropriate PPE where necessary.

F. Program Evaluation.

This NEP will be evaluated using data collected from case files and follow-up site visit reports submitted by each Area Office to the Regional Offices. The data will be evaluated to determine the inspection impact of OSHA inspections on the reduction

of exposures at each work site. Each Region shall designate an individual who will work with the Office of Health Enforcement.

G. Coordination.

1. OSHA National Office. This NEP will be coordinated by the Directorate of Enforcement Programs (DEP) - Office of Health Enforcement (OHE). All questions and comments should be directed to the Office of Health Enforcement, through the Bureau of Inspections. OHE will coordinate with the Directorate of Technical Support and Emergency Management (DTSEM), Office of Occupational Medicine (OOM) and other offices for assistance as needed.
2. Regional Office. Each Regional Administrator is required to identify a coordinator for this NEP.

H. IMIS Coding Instructions. The instruction below is for recording inspections under this NEP. The majority of inspections conducted under this NEP will be "Health" inspections and should be coded as such. When this NEP is conducted in conjunction with a programmed inspection, the OSHA-1 Forms shall be marked as "programmed planned" in item 24, and in item 21, Inspection Category shall be recorded as "H". In addition the "NEP" value of "PMETALS" shall be recorded in item 25d.

If during a programmed inspection (or other safety-related inspections) it is determined the SIC should be one of the 3300 SICs, the NEP code for "PMETALS" shall be recorded.

This new "PMETALS" code applies to the following enforcement forms:

OSHA-1, OSHA-7, OSHA-36, OSHA-90 and OSHA-55.

Whenever a consultation visit is made in response to this NEP, Consultation request/visit forms are to be completed with the NEP code "PMETALS" in item 25 on Form-20, and in item 28 on Form-30.

XIV. Consultation. Voluntary Programs Division will communicate the goals of this NEP and is encouraged to develop and conduct their own outreach activities to address exposures to physical and chemical hazards.

Appendix A

Chemical Exposure Hazards Found In Major Group 33 of the SIC Manual

acrolein	naphthalene
ammonia	nitric acid
antimony	nitrogen
arsenic	nuisance dust
asbestos	ozone
benzene	phenol
2-butoxyethanol	polycyclic aromatic hydrocarbons
carbon dioxide	propane
carbon monoxide	silica
chlorine	sulfuric acid
chromium	sulfur dioxide
coal tar pitch volatiles	tetraethyl lead
copper fume	toluene
dimethylamine	vanadium
dimethyl ethylamine	wood dust
formaldehyde	xylene
furfuryl alcohol	zinc oxide
hydrogen chloride	metal dusts including:
hydrogen sulfide	iron
iron oxide	aluminum
isocyanates	manganese
isopropyl alcohol	beryllium
lead	cadmium
methane	tin
methyl alcohol	copper
methyl formate	silver
methylene bisphenyl isocyanate	nickel
molybdenum	lead

Appendix B

Primary Metal Industries - SICs/NAICSs Codes

The Primary Metal Industries (PMI) are a group of establishments engaged in the smelting and refining of both ferrous and nonferrous metals. These metals are refined from ore, pig, and scrap, during rolling, drawing, casting, and alloying metal operations. Some of the products they manufacture include nails, spikes, insulated wires and cables, steel piping, sheets and bars, copper and aluminum products, and coke. These SICs/NAICSs include:

3312 – Steel Works, Blast Furnaces (including Coke Ovens), and Rolling Mills	(NAICS 324199, 331111, 331221)
3313 – Electrometallurgical Products Except Steel	(NAICS 331112)
3316 - Cold-Rolled Steel Sheet, Strip and Bars	(NAICS 331221)
3317 - Steel Pipe and Tubes	(NAICS 331210)
3321 - Gray and Ductile Iron Foundries	(NAICS 331511)
3322 – Malleable Iron Foundries	(NAICS 331511)
3325 – Steel Foundries, Not Elsewhere Classified	(NAICS 331513)
3331 – Primary Smelting and Refining of Copper	(NAICS 331411)
3334 – Primary Production of Aluminum	(NAICS 331312)
3339 – Primary Smelting and Refining of Nonferrous Metals, Except Copper	(NAICS 331419)

and Aluminum	
3341 – Secondary Smelting and Refining of Nonferrous Metals	(NAICS 331314, 331423, 331492)
3351 – Rolling, Drawing and Extruding of Copper	(NAICS 331421)
3354 – Aluminum Extruded Products	(NAICS 331316)
3366 – Copper Foundries	(NAICS 331525)
3365 – Aluminum Foundries	(NAICS 331524)
3369 – Nonferrous Foundries Except Aluminum and Copper	(NAICS 331528)